

## Literatura

### Rola suszonych owoców w codziennej diecie. Czy suszone owoce należy traktować w zaleceniach na równi ze świeżymi?

- 1.Bu SY, Lerner M, Stoecker BJ, Boldrin E, Brackett DJ, Lucas EA, Smith BJ. Dried plum polyphenols inhibit osteoclastogenesis by downregulating NFATc1 and inflammatory mediators. *Calcif Tissue Int.* 2008 Jun; 82(6): 475-88.
- 2.Hooshmand S, Chai SC, Saadat RL, Payton ME, BrummelSmith K, Arjmandi BH Comparative effects of dried plum and dried apple on bone in postmenopausal women. *Br J Nutr.* 2011 Sep; 106(6):923-30.
- 3.Metti, Shamloufard, Cravinho, Delgado Cuenca, Kern, Bahram Arjmandi, Shirin Hooshmand. Effects of low dose dried plum (50 g) on bone mineral density and bone biomarkers in older postmenopausal women. *The FASEB Journal* vol. 29 no. 1, April 2015 Supplement 738.12
4. Shahnazari M, Nissenson R, Turner R, Iwaniec U, Roth T, Halloran B. (20015). Dietary supplementation with dried plum increases peak bone mass during grothw. Praca zaprezentowana w trakcie Międzynarodowego Sympozjum : Żywieniowe Aspekty Osteoporozy, 17-20. Czerwiec 2015
- 5.Seidel et al. Dried Plums Modify Colon Microbiota Composition and Spatial Distribution, and Protect Against Chemically-Induced Carcinogenesis.
6. Zawilski (2015) Dried plums promote increased antioxidant capacity in smokers and nonsmokers. *FASEB.* 29; 922.15.
7. Nelson S, Zawilski A, McGill B, McIntosh M, Kern M, Young Hong M, Hooshmand S (2015) Neutrophil Elastase Responses in Smokers and Nonsmokers Consuming Dried Plums. *FASEB.* 29; 922.13.
- 8.Hooshmand A, Brisco JRY, Arjmandi BH. (2014) The effect of dried plum on serum levels of receptor activator of NF- $\kappa$ B ligand, osteoprotegerin and sclerostin in osteopenic postmenopausal women: a randomised controlled trial. *BJN.* 112; 55-60
- 9.Hooshmand S, Chai S, Saadat R, Payton M, Brummel-Smith K, Arjmandi B (2011) Comparative effects of dried plum and dried apple on bone in postmenopausal women. *Br J Nutr.* 106; 923-30.
- 10.Fusco E, Clayton Z, Kass L, Carpenter J, Hooshmand S, Hong MY, Kern M (2014) Carbohydrate-rich snacks influence plasma glucose, insulin and ghrelin responses in overweight adults. *FASEB.* 28; 1039.5.
- 11.Furchner-Evanson A, Petrisko Y, Howarth L, Nemoseck T, Kern M (2010) Type of snack influences satiety responses in adult woman. *Appetite.* 54; 564-569.

- 12.Foster-Powell K, Holt S, Brand-Miller J (2002) International table of glycemic index and glycemic load values: 2002. Am J Clin Nutr. 76; 5–56.
- 13.. Kundu JK, Chun KS. The promise of dried fruits in cancer chemoprevention Asian Pac J Cancer Prev. 2014;15(8):3343-52.
14. Carughi A, Feeney MJ, Kris-Etherton P, Fulgoni V 3rd, Kendall CW, Bulló M, Webb D. Pairing nuts and dried fruit for cardiometabolic health. Nutr J. 2016 Mar 5;15:23.
- 15.NHS (National Health Service UK) 5 A DAY: what counts?  
<http://www.nhs.uk/Livewell/5ADAY/Pages/Whatcounts.aspx>
- 16.<https://www.nutfruit.org/wp-continguts/uploads/2011/05/Dried-Fruit-Equivalency-Brochure.pdf>
- 17.Lock K, Pormealeau J, Causer L, MvKeee. Low fruit and vegetable consumption. In Ezzati M, Lopez AD, Rogers A, Murray CJL, eds. Comparative quantification of health risk: global and regional burden of disease attributable to selected major risk factors. Geneva, Switzerland: WHO 2005
- 18.Keast DR, and Jones JM. Dried fruit consumption associated with reduced improved overweight or obesity in adults: NHANES, 1999-2004. FASEB J. 2009; 23:LB11
- 19.Wu X, Beecher GR, Holden JM, et al. Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. J Agric Food Chem. 2004; 52: 4026-37
- 20.Vinson JA, Zubik L, Bose P, et al. Dried fruits: excellent in vitro and in vivo antioxidants. J Am Coll Nutr. 2005; 249(1): 44-50
- 21.Vinson JA, Su X, Zubik L and Bose P. Phenol antioxidant quality and quantity in foods: fruits. J Agric Food Chem. 2001; 49(11):5315-21
- 22.Kaliora AC, Kountouri AM, Karathanos VT. Antioxidant properties of raisins (*Vitis vinifera* L.). J Med Food. 2009, 12(6):1302-9
- 23.Kayano, SI, Kikuzaki H, Fukutsuka N, et al Antioxidant activity of prune (*Prunus domestica* L.) constituents and a new synergist. J Agric Food Chem 2002, 50(13): 3708-12
24. Siet J. Sijtsema , Katarzyna Jesionkowska , Ronan Symoneaux , Dorota Konopacka , Harriëtte Snoek, Lebensmittel-Wissenschaft Perceptions of the health and convenience characteristics of fresh and dried fruits Food Science and Technology 2012 v.49 no.2 pp. 275-28
- 25.,„Budżety gospodarstw domowych w 2015 r.” Główny Urząd Statystyczny, 2016

26. Sadler M (2016) Dried fruit and dental health. International Journal of Food Sciences and Nutrition. 1-16. DOI: 10.1080/09637486.2016.1207061